

File 347:JAPIO Oct 1976-2003/Apr(Updated 030804)
(c) 2003 JPO & JAPIO
File 348:EUROPEAN PATENTS 1978-2003/Aug W03
(c) 2003 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20030821,UT=20030814
(c) 2003 WIPO/Univentio
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200354
(c) 2003 Thomson Derwent

Set	Items	Description
S1	10	AU='HANSEN G A' OR AU='HANSEN GEORGE A' OR AU='HANSEN GEORGE ALBERT'

1/TI/1 (Item 1 from file: 347)
DIALOG(R)File 347:(c) 2003 JPO & JAPIO. All rts. reserv.

BIOCIDAL COMPOSITION

1/TI/2 (Item 1 from file: 348)
DIALOG(R)File 348:(c) 2003 European Patent Office. All rts. reserv..

Stable biocidal compositions
Stabile biozide Zusammensetzungen
Compositions biocides stables

1/TI/3 (Item 2 from file: 348)
DIALOG(R)File 348:(c) 2003 European Patent Office. All rts. reserv..

Customizable program control interface for a computer system.
Adaptierbare Programmsteuerungsschnittstelle fur ein Rechnersystem.
Interface adaptable de controle de programmes pour un systeme d'ordinateur.

1/TI/4 (Item 1 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Computer-implemented user interface window displaying method involves
altering image by replicating and scaling predefined stretch region

1/TI/5 (Item 2 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Wavelet-based interference filtering of spread spectrum signals output
from e.g. gloanass satellites, involves filtering out portions of signal
occurring above known noise floor

1/TI/6 (Item 3 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Biocidal composition comprises halogen-containing biocide and a
stabilizing acid composition of specified pKa

1/TI/7 (Item 4 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Multiprogram display method for computer system using GUI - involves
displaying execution of specific application program in selected logical
display area, by receiving user input in desired screen icon and
eliminating display in other logical display area

1/TI/8 (Item 5 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

User interface display method for computer system - has individually
configurable interface with two panel regions for delineated display
region and application program icons respectively

1/TI/9 (Item 6 from file: 350)
DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Computer implemented method for providing user interface - involves
displaying graphic display shell along horizontal side of user interface

so as to allow display of any application programs executing on computer system

1/TI/10 (Item 7 from file: 350)

DIALOG(R)File 350:(c) 2003 Thomson Derwent. All rts. reserv.

Computer implementation interface for start-up application processes - involves providing software buttons on panel, each representing application processes